


# Winston Lift® Single Installation Instructions

Innovative Ergonomic Solutions companies




HAT Collective  
408 437 8770  
cs@hatcollective.  
com

Innovative Ergonomic Solu-  
tions  
800 524 2744  
customerservice@team-ies.




















## CAUTION:

Mechanism can rise quickly with no equipment in place. User equipment must be properly installed, prior to height adjustment. Failure to do so may result in personal injury and/or property damage.





# Winston Lift® Single


## Parts List

<p>A</p> <p>Rectangular Spacer 2x 701544</p> 	<p>F</p> <p>Vertical Column 1x 113389</p> 	<p>K</p> <p>75/100 mm VESA Adapter 1x 105587</p> 	<p>P</p> <p>Cable Manager 1x 113842</p> 
<p>B</p> <p>1/2-13 x 3" Socket Set Screw 2x 701126</p> 	<p>G</p> <p>Monitor Tilter 1x 414291</p> 	<p>L</p> <p>M4 x 12 mm PhPHS (4-pack) 1x 702096</p> 	<p>Q</p> <p>4mm Allen Wrench 1x 709877</p> 
<p>C</p> <p>Work Surface 1x 413878-WHT (white) 413878-BLK (black)</p> 	<p>H</p> <p>Monitor Bracket 1x 414250</p> 	<p>M</p> <p>Column Cap 1x 113496</p> 	
<p>D</p> <p>M8 Screws 4x 714262</p> 	<p>I</p> <p>M6 x 12mm Screw 1x 713217</p> 	<p>N</p> <p>7/32" Allen Wrench 1x 701127</p> 	
<p>E</p> <p>5mm Allen Wrench 1x 710838</p> 	<p>J</p> <p>10-32 x 3/8" PhPHS (4-pack) 1x 702281</p> 	<p>O</p> <p>3/32" Allen Wrench 1x 700146</p> 	


1




2




3




4




5




6




7



8








9




**CAUTION:**


Mechanism can rise quickly with no equipment in place. User equipment must be properly installed, prior to height adjustment. Failure to do so may result in personal injury and/or property damage.

**Height adjustment**

Slide lever into unlock




Raise/lower to desired



Slide lever into lock position for maximum stability.



11



12

